


1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE)

CAS No. 107-06-2

First Listed in the *Second Annual Report on Carcinogens*



CARCINOGENICITY

1,2-Dichloroethane is *reasonably anticipated to be a human carcinogen* based on sufficient evidence of carcinogenicity in experimental animals (NCI 1978, IARC 1979, 1987, 1999). When administered by gavage, 1,2-dichloroethane increased the incidence of hepatocellular carcinomas in male mice, mammary gland adenocarcinomas and endometrial stromal neoplasms of the uterus in female mice, and lung adenomas in mice of both sexes. Further, gavage administration of 1,2-dichloroethane increased the incidence of squamous cell carcinomas of the forestomach, subcutaneous fibromas, and hemangiosarcomas in male rats and mammary gland adenocarcinomas in female rats.

No adequate data were available to evaluate the carcinogenicity of 1,2-dichloroethane in humans (IARC 1979, 1987, 1999).

PROPERTIES

1,2-Dichloroethane is a clear, colorless, heavy, flammable, oily liquid with a pleasant, chloroform-like odor. It is sparingly soluble in water and soluble in most organic solvents. When heated to decomposition, it produces toxic fumes of hydrochloric acid (IARC 1979, 1999, HSDB 2000).

USE

1,2-Dichloroethane has been replaced as a solvent and degreaser by less toxic compounds. It once served as a solvent for processing pharmaceutical products; for fats, oils, waxes, gums, resins, and particularly for rubber; and in paint, varnish, and finish removers (HSDB 2000). It was also used as an insect fumigant for stored grains and in mushroom houses, a soil fumigant in peach and apple orchards, a cleaner for upholstery and carpets, a solvent in textile cleaning and metal degreasing, a lead scavenger in antiknock gasoline, a starting material for chlorinated solvents such as vinylidene chloride, a dispersant for plastics and elastomers such as synthetic rubber, an ore flotation compound, and as an extractant in certain food processes (IARC 1979, NIOSH 1978, HSDB 2000). Therapeutically, 1,2-dichloroethane was once used as a general anesthetic instead of chloroform, especially in ophthalmic surgery (HSDB 2000). It is currently used primarily to produce vinyl chloride (WHO 1995, IARC 1999).

PRODUCTION

Commercial production of 1,2-dichloroethane in the United States was first reported in 1922 (IARC 1979). A major industrial chemical, it has previously been ranked in the top 50 highest volume chemicals produced in the country by *Chemical and Engineering News*; its production has remained essentially stable, with more than 13 billion lb produced annually since 1988 (Chem. Eng. News 1991, USITC 1989, 1990). In 1991, the total U.S. production was 13.9 billion lb (WHO 1995). Chem Sources (2001) listed 37 suppliers in the United States.

Greater than 39 million lb of 1,2-dichloroethane were imported into the United States in 1989, while 1200 billion lb were exported that same year (Chem. Eng. News 1985, Chem-Intel 1987, USDOC Exports 1990, USDOC Imports 1985, 1988, 1990). In 2000, greater than 300 million lb were imported and over 2 billion lb were exported (ITA 2001).

EXPOSURE

The primary routes of potential human exposure to 1,2-dichloroethane are inhalation, ingestion, and dermal contact. Currently, occupational exposure is chiefly to workers involved in the production of vinyl chloride (WHO 1995). The greatest source of exposure to 1,2-dichloroethane for most of the U.S. population is inhalation of the compound in contaminated air. There are no known natural sources of 1,2-dichloroethane. Releases of this compound to the environment may result from the manufacture, use, storage, distribution, and disposal of 1,2-dichloroethane (ATSDR 2001). EPA's Toxic Chemical Release Inventory (TRI) listed 96 industrial facilities that produced, processed, or otherwise used 1,2-dichloroethane in 1988 (TRI88 1990). The facilities reported releases of 1,2-dichloroethane to the environment which were estimated to total 5.3 million lb. According to the TRI99 (2001), in 1999, approximately 500,000 lb (88.7% of total on-site environmental releases) of 1,2-dichloroethane were discharged to air, 904 lb (0.15%) to water, and 2,983 lb (0.48%) to land. TRI (2001) also reported a total off-site release of 683,304 lb.

1,2-Dichloroethane has been detected in not only ambient urban and rural air and in indoor samples of residences located near hazardous waste disposal sites, but also in surface water, groundwater, and drinking water (ATSDR 2001). EPA reported that 1,2-dichloroethane was present at concentrations of 1 to 90 ppb in 53 of 204 surface water samples taken near heavily industrialized areas across the United States (IARC 1979). Drinking water samples from a number of urban and rural locations in the United States have been reported to be contaminated with 1,2-dichloroethane. Concentrations in domestic surface waters used as drinking water sources have been reported to range from trace amounts to 4.8 µg/L. Concentrations in domestic groundwater supplies used for drinking water have been reported to range from trace amounts to 400 µg/L. Exposure to 1,2-dichloroethane through ingestion of contaminated drinking water is expected to be an important source for only 4 to 5% of the population; however, for populations with drinking water supplies containing more than 6 µg/L of the compound, oral and dermal routes are expected to be more important than inhalation. 1,2-Dichloroethane has also been detected in food items and in human breath, urine, and milk (ATSDR 2001).

Human exposure to 1,2-dichloroethane is expected to be highest among certain occupational groups (ATSDR 2001). The National Occupational Hazard Survey, conducted by NIOSH from 1972 to 1974, estimated that 1,350,941 workers in 111,222 industrial facilities were potentially exposed to 1,2-dichloroethane in the workplace in 1970 (NIOSH 1976). These estimates were derived from observations of the actual use of 1,2-dichloroethane (5% of total estimate), the use of trade name products known to contain 1,2-dichloroethane (3%), and the use

of generic products suspected of containing the compound (92%). The largest numbers of exposed workers were found employed in the medical and other health services, automotive dealerships and service stations, and wholesale trade industries (ATSDR 2001). The National Occupational Exposure Survey, conducted by NIOSH from 1981 to 1983, indicated that 77,114 workers, including 32,891 women, in 1,526 plants were potentially exposed to 1,2-dichloroethane in the workplace (NIOSH 1984). The estimates were derived from direct observations of the actual use of the compound (68%) and the use of trade name products known to contain 1,2-dichloroethane (32%). The largest numbers of exposed workers were found employed in the apparel and other textile products, chemical and allied products, business services, and petroleum and coal products industries as machine operators, assemblers, and production inspectors, checkers, and examiners (ATSDR 2001).

REGULATIONS

EPA regulates 1,2-dichloroethane under the Clean Air Act (CAA), Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Safe Drinking Water Act (SDWA), Toxic Substances Control Act (TSCA), and Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). Under CERCLA, EPA has established a reportable quantity (RQ) of 100 lb (45.4 kg) for 1,2-dichloroethane. Under the Resource Conservation and Recovery Act (RCRA), EPA regulates 1,2-dichloroethane as a hazardous constituent of waste. Under the Superfund Amendments and Reauthorization Act (SARA), 1,2-dichloroethane is included on a list of toxic chemicals with general threshold amounts established for facilities using or producing the compound. EPA has established a maximum contaminant level goal (MCLG) of zero and a maximum contaminant level (MCL) of 0.005 mg/L for 1,2-dichloroethane under the SDWA.

FDA's Center for Food Safety and Applied Nutrition, under the Food, Drug and Cosmetic Act (FD&CA), labeled the compound an animal carcinogen. Through regulations and other actions, FDA is eliminating 1,2-dichloroethane residues in foods.

ACGIH recommends a threshold limit value (TLV) of 10 ppm (60 mg/m³). NIOSH has recommended an exposure limit of 1 ppm (4 mg/m³) as a 10-hr time-weighted average (TWA) with a 2 ppm (8 mg/m³) short-term exposure limit (STEL). OSHA has set a permissible exposure limit (PEL) of 50 ppm (200 mg/m³) as an 8-hr TWA, with a 100-ppm ceiling and 200-ppm maximum peak concentration for 5 minutes in any 3-hr period. OSHA also regulates 1,2-dichloroethane under the Hazard Communication Standard and as a hazardous chemical in laboratories. Regulations are summarized in Volume II, Table 65.

REFERENCES

- ATSDR. Agency for Toxic Substances and Disease Registry. Toxicological Profile for 1,2-Dichloroethane. Update. (Final Report). Atlanta, GA: ATSDR, Public Health Service, U.S. Department of Health and Human Services. 2001. 275 pp. NTIS Accession No. PB-2001-109103
- Chemical and Engineering News. Production Profiles. Vol. 63, No. 23, 1985, pp. 25, 27.
- Chemical and Engineering News. Production Profiles. Vol. 69, No. 25, 1991, pp. 30-31, 33.
- Chem-Intel Database. Chemical Intelligence Service, London, England, 1987.
- Chem Sources. Chemical Sources International, Inc. <http://www.chemsources.com>, 2001.
- HSDB. Hazardous Substances Data Bank. Online database produced by the National Library of Medicine. Profile last updated March 24, 2000. Last review date, November 1, 1994.
- IARC. International Agency for Research on Cancer. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Some Halogenated Hydrocarbons. Vol. 20. 609 pp. Lyon, France: IARC, 1979.
- IARC. International Agency for Research on Cancer. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Overall Evaluations of Carcinogenicity. Supplement 7. 440 pp. Lyon, France: IARC, 1987.
- IARC. International Agency for Research on Cancer. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Re-evaluation of some Organic Chemicals, Hydrazine and Hydrogen Peroxide Vol. 71. 1589 pp. Lyon, France: IARC, 1999.
- ITA. International Trade Administration. U.S. Department of Commerce. Subheading 2093.15.0000: 1,2-dichloroethane (ethylene dichloride), <http://www.ita.doc.gov/td/industry/otea/Trade-Detail/>, 2001.
- NCI. National Cancer Institute. Carcinogenesis, Technical Report Series No. 55. Bioassay of 1,2-Dichloroethane for Possible Carcinogenicity (CAS No. 107-06-2). DHEW (NIH) Publication No. 78-1361. 64 pp. National Institutes of Health, Bethesda, MD, 1978.
- NIOSH. National Institute for Occupational Safety and Health. National Occupational Hazard Survey (1972-74). Cincinnati, OH: Department of Health, Education, and Welfare, 1976.
- NIOSH. National Institute for Occupational Safety and Health. NIOSH Current Intelligence Bulletin 27: Chloroethanes: Review of Toxicity. DHEW (NIOSH) Publication No. 78-181. Cincinnati, OH: Department of Health, Education, and Welfare, 1978.
- NIOSH. National Institute for Occupational Safety and Health. National Occupational Exposure Survey (1981-83). Cincinnati, OH: Department of Health and Human Services, 1984.
- TRI88. Toxic Chemical Release Inventory 1988. Data contained in the Toxic Chemical Release Inventory (TRI). Available from the U.S. Environmental Protection Agency Office of Environmental Information, <http://www.epa.gov/triexplorer/reports.htm>, 1990.

1,2-Dichloroethane (Ethylene Dichloride) (Continued)

TRI99. Toxic Chemical Release Inventory 1999. Data contained in the Toxic Chemical Release Inventory (TRI). Available from the U.S. Environmental Protection Agency Office of Environmental Information, <http://www.epa.gov/triexplorer/reports.htm>, 2001.

USDOC Exports. U.S. Department of Commerce, Bureau of the Census. U.S. Exports, Harmonized Schedule B, Commodity by Country, 1989. Washington, DC: U.S. Government Printing Office, 1990.

USDOC Imports. U.S. Department of Commerce, Bureau of the Census. U.S. Imports for Consumption and General Imports, TSUSA Commodity by Country of Origin. Washington, DC: U.S. Government Printing Office, 1985, Annual 1984.

USDOC Imports. U.S. Department of Commerce, Bureau of the Census. U.S. Imports for Consumption and General Imports, TSUSA Commodity by Country of Origin. Washington, DC: U.S. Government Printing Office, 1988, Annual 1987.

USDOC Imports. U.S. Department of Commerce, Bureau of the Census. U.S. Imports for Consumption, Harmonized TSUSA Commodity by Country of Origin. Washington, DC: U.S. Government Printing Office, 1990, Annual 1989.

USITC. U.S. International Trade Commission. Synthetic Organic Chemicals, United States Production and Sales, 1988. USITC Publication No. 2219. Washington, DC: U.S. Government Printing Office, 1989.

USITC. U.S. International Trade Commission. Synthetic Organic Chemicals, United States Production and Sales, 1989. USITC Publication No. 2338. Washington, DC: U.S. Government Printing Office, 1990.

WHO. World Health Organization. Environmental Health Criteria for 1,2-dichloroethane (Second Edition), No. 176, 148 pp, 1995.