

**Note to Readers:** *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to 508 standards due to the complexity of the information being presented. If you need assistance accessing journal content, please contact [ehp508@niehs.nih.gov](mailto:ehp508@niehs.nih.gov). Our staff will work with you to assess and meet your accessibility needs within 3 working days.

## **Supplemental Material**

# **Birth Weight, Ethnicity, and Exposure to Trihalomethanes and Haloacetic Acids in Drinking Water during Pregnancy in the Born in Bradford Cohort**

Rachel B. Smith, Susan C. Edwards, Nicky Best, John Wright, Mark J. Nieuwenhuijsen, and Mireille B. Toledano

### **Table of Contents**

#### **THM uptake factors**

**Table S1.** THM uptake factors

#### **References**

**Table S2.** Spearman's correlations between exposure metrics used in epidemiological models

**Table S3.** Relationship between term birth weight and TTHM and THMBr exposure in Trimester 1, 2 and 3

**Table S4.** Relationship between term birth weight and chloroform and BDCM exposure

**Table S5.** Relationship between term birth weight and individual-level joint THM and HAA exposure (DBP7) in Trimester 1, 2 and 3