

**Note to Readers: If you need assistance accessing items in this Supplemental Material, please contact [ehp508@niehs.nih.gov](mailto:ehp508@niehs.nih.gov). Our staff will work with you to assess and meet your accessibility needs within 3 working days.**

## **Table of Contents for Supplemental Material**

### **Ambient Air Pollution and Adult Asthma Incidence in Six European Cohorts (ESCAPE)**

Bénédicte Jacquemin, Valérie Siroux, Margaux Sanchez, Anne-Elie Carsin, Tamara Schikowski, Martin Adam, Valeria Bellisario, Anna Buschka, Roberto Bono, Bert Brunekreef, Yutong Cai, Marta Cirach, Françoise Clavel-Chapelon, Christophe Declercq, Roberto de Marco, Audrey de Nazelle, Regina E. Ducret-Stich, Virginia Valeria Ferretti, Margaret W. Gerbase, Rebecca Hardy, Joachim Heinrich, Christer Janson, Deborah Jarvis, Zaina Al Kanaani, Dirk Keidel, Diana Kuh, Nicole Le Moual, Mark J. Nieuwenhuijsen, Alessandro Marcon, Lars Modig, Isabelle Pin, Thierry Rochat, Christian Schindler, Dorothea Sugiri, Morgane Stempfelet, Sofia Temam, Ming-Yi Tsai, Raphaëlle Varraso, Danielle Vienneau, Andrea Vierkötter, Anna L. Hansell, Ursula Krämer, Nicole M. Probst-Hensch, Jordi Sunyer, Nino Künzli, and Francine Kauffmann

#### **Funding and Acknowledgments**

**Table S1.** Study characteristics.

**Table S2.** Variables used to define asthma at baseline and incident asthma (asthma at follow-up among those without asthma at baseline) for each study.

**Table S3.** Distribution of the air pollutants and traffic variables per study.

**Table S4.** Correlation matrix between pollutants by study.

**Table S5.** Goodness of fit of the LUR model for each city, with cities from North to South. Data are adapted from Eeftens et al. (2012) for PM and Beleen et al. (2013) for NO<sub>x</sub>.

**Table S6.** Comparison of associations between asthma incidence per 10  $\mu\text{g}/\text{m}^3$  increase for  $\text{NO}_2$  between ESCAPE and APMoSPHERE estimates in ECRHS.

## References

### Figure S1. Flow charts for each study.

**Figure S1a.** European Community Respiratory Health Survey (ECHRS). Participants from the enriched (symptomatic) sample are excluded. FU: Follow-up. (The European Community Respiratory Health Survey II 2002).

**Figure S1b.** Epidemiological study on the Genetics and Environment of Asthma (EGEA). Only adults from the study were included. FU: Follow-up (Siroux et al. 2009).

**Figure S1c.** Etude Epidémiologique auprès de femmes de la Mutuelle Générale de l'Education Nationale (E3N). FU: Follow-up (Clavel-Chapelon et al. 1997).

**Figure S1d.** Medical Research Council's National Survey of Health and Development (NSHD).

**Figure S1e.** Study on the influence of Air pollution on Lung function, Inflammation and Aging (SALIA). FU: Follow-up (Schikowski et al. 2010).

**Figure S1f.** Swiss study on air pollution and health in adults (SAPALDIA). FU: Follow-up (Ackerman-Liberich et al. 2005).