

Note to readers with disabilities: *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehp508@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

Supplemental Material

Evaluation of the Impact of Ambient Temperatures on Occupational Injuries in Spain

Èrica Martínez-Solanas, María López-Ruiz, Gregory A. Wellenius, Antonio Gasparriani, Jordi Sunyer, Fernando G. Benavides, and Xavier Basagaña

Table of Contents

Figure S1. Overall cumulative exposure-response relationships in 50 Spanish provinces.

Figure S2. Overall cumulative exposure-response relationships in Spain in two periods: 1994-2000 and 2001-2013.

Figure S3. Distribution of average of maximum temperatures in winter (a) and summer (b) by Spanish provinces, 1994-2013.

Table S1. Descriptive statistics on daily number of occupational injuries and maximum temperature. Spanish Provinces (1994-2013).

Table S2. Daily variation in maximum temperature within four Spanish provinces.

Table S3. Sensitivity analyses.

Table S4. Percent difference (95% Confidence Intervals) for the relationship between extreme cold - hot ambient temperatures and occupational injuries in Spain (1994-2013).

Table S5. Percent difference (95% Confidence Intervals) for the relationship between extreme cold - hot ambient temperatures and occupational injuries in Spain (1994-2013). Economic sectors and sex / age.

Table S6. Percent difference (95% Confidence Intervals) for the relationship between extreme cold - hot ambient temperatures and occupational injuries in Spain in two periods: 1994-2000 and 2001-2013.

References