

**Note to Readers:** *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to 508 standards due to the complexity of the information being presented. If you need assistance accessing journal content, please contact [ehp508@niehs.nih.gov](mailto:ehp508@niehs.nih.gov). Our staff will work with you to assess and meet your accessibility needs within 3 working days.

## **Supplemental Material**

# **Variability of Metal Levels in Spot, First Morning, and 24-Hour Urine Samples over a 3-Month Period in Healthy Adult Chinese Men**

Yi-Xin Wang, Wei Feng, Qiang Zeng, Yang Sun, Peng Wang, Ling You, Pan Yang, Zhen Huang, Song-Lin Yu, and Wen-Qing Lu

### **Table of Contents**

**Table S1.** Basic characteristics of the 11 men during the sampling days.

**Table S2.** Uncorrected ( $\mu\text{g/L}$ ), creatinine-corrected ( $\mu\text{g/g creatinine}$ ) and urinary excretion rate (UER) ( $\mu\text{g/h}$ ) of metals in spot, first morning and 24-h urine samples collected from 11 men.

**Table S3.** The variance apportionment of  $\log_{10}$ -transformed creatinine concentrations in the three sample types collected from 11 adults.