

Note to readers with disabilities: *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehp508@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

Supplemental Material

Prenatal Phthalates, Maternal Thyroid Function, and Risk of Attention-Deficit Hyperactivity Disorder in the Norwegian Mother and Child Cohort

Stephanie M. Engel, Gro D. Villanger, Rachel C. Nethery, Cathrine Thomsen, Amrit K. Sakhi, Samantha S.M. Drover, Jane A. Hoppin, Pal Zeiner, Gun Peggy Knudsen, Ted Reichborn-Kjennerud, Amy H. Herring, and Heidi Aase

Table of Contents

Table S1. Associations between phthalates and ADHD with and without adjustment for year in a Nested Case-Control Study of Attention-deficit Hyperactivity Disorder in the Norwegian Mother and Child Cohort, 2003-2008.

Table S2. Sensitivity Analyses using alternate model specifications for associations between phthalates and ADHD in a Nested Case-Control Study of Attention-deficit Hyperactivity Disorder in the Norwegian Mother and Child Cohort, 2003-2008.

Table S3. Sensitivity Analyses using alternate model specifications for associations between phthalates and ADHD in a Nested Case-Control Study of Attention-deficit Hyperactivity Disorder in the Norwegian Mother and Child Cohort, 2003-2008.

Table S4. Sensitivity Analyses adjusting for urine collection month and year for associations between phthalates and ADHD in a Nested Case-Control Study of Attention-deficit Hyperactivity Disorder in the Norwegian Mother and Child Cohort, 2003-2008.

Table S5. Natural Direct Effect (NDE) and Natural Indirect Effect (NIE) Odds Ratios and 95% Confidence Intervals for Mediation of \sum DEHP by Thyroid Hormones and Preterm Delivery.