

**Note to readers with disabilities:** *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact [ehp508@niehs.nih.gov](mailto:ehp508@niehs.nih.gov). Our staff will work with you to assess and meet your accessibility needs within 3 working days.

## **Supplemental Material**

### **A Prospective Cohort Study of Adolescents' Memory Performance and Individual Brain Dose of Microwave Radiation from Wireless Communication**

Milena Foerster, Arno Thielens, Wout Joseph, Marloes Eeftens, and Martin Rössli

#### **Table of Contents**

#### **Derivation of the Cumulative RF-EMF brain gray matter dose**

##### **1. Numeric simulations of brain gray matter specific absorption rates (SAR)**

##### **2. Usage variable overview**

**Table S1.** Derivation of the individual durations of near field exposure situations and mean incidence fields of environmental far field sources.

##### **3. Overview of the parameters considered for RF-EMF brain gray matter dose**

**Table S2.** Parameters used for the derivation of the cumulative near field dose. Individual exposure to a source is calculated via multiplying the individual time per exposure scenario with its respective SAR value. The brain and whole body dose is consecutively calculated as the sum of the individual exposure of the near-field sources. The table below summarizes the mean values used for the individual RF-EMF dose calculation for all HERMES participants who took part in baseline and follow-up investigations. Note that the duration refers to the average daily device use between baseline and follow-up.

**Table S3.** Simulated RF frequency bands with frequency range and center frequency.

#### **Meta-analysis over five latent classes of media use**

**Figure S1.** Spider plot displaying the profile of the five different media use patterns (Foerster and Rössli 2017) on 11 different media use variables. Values are relative and relate to the ratio between the group mean and the overall mean of the whole sample on the raw questionnaire scores (e.g. a peak of the “Gaming” group at 3 relates to a three times (300 %) higher daily gaming duration compared to the whole sample whereas a value of 0.5 relates to a 50 % lower value on the respective variable).

**Figure S2.** Forest plots of the meta-analysis over the linear exposure estimates for the brain dose calculated separately for the right side users of the five use groups. Coefficients relate to the change in score per interquartile range of the whole sample RF-EMF dose (953 mJ/kg/day).

## References